

2000 San Antonio Livestock Exposition Quality Goat Contest

Exhibitor	Entry #	Class #	Live Place	Show Wt.	Sigt. Wt.	HCW	Show DP%	Sigt. DP%	lbs. KP	% KP	Act. 12th rib fat	Adj. 12th rib fat	Body Wall Thick.	LEA	Leg Conf.	Leg Circ.	USDA YG	% BCTRC	Carcass Maturity	Carcass Placing
Gassiot, San Angelo	814-9	1	1	70	72	38.8	55.4	53.9	0.71	1.83	0.03	0.08	0.55	1.85	10	22.50	1.2	48.90	A	5
Siegenthaler, Kerrville	491-14	1	2	69	77	41.2	59.7	53.5	0.91	2.21	0.08	0.12	0.65	1.75	9	22.75	1.6	47.92	A	6
Maxwell, Marble Falls	562-19	2	1	77	83	45.0	58.4	54.2	0.98	2.18	0.05	0.10	0.70	1.95	11	23.75	1.4	48.00	A	4
Riggle, Abilene	959-10	2	2	81	89	48.2	59.5	54.2	1.41	2.93	0.08	0.15	0.85	2.10	11	23.75	1.9	47.35	B	8
Weber, Seymour	48-6	3	1	83	80	47.2	56.9	59.0	0.91	1.93	0.10	0.18	1.00	2.10	10	23.00	2.2	46.77	A	11
Hirt, Garden City	338-12	3	2	85	89	49.1	57.8	55.2	1.25	2.55	0.05	0.12	0.85	2.35	11	24.00	1.6	48.02	A	2
Clark, Throckmorton	802-5	4	1	89	96	51.8	58.2	54.0	1.97	3.80	0.05	0.12	0.85	2.30	12	24.25	1.6	47.67	A	7
Fowler, Andrews	010-13	4	2	90	92	51.3	57.0	55.8	1.19	2.32	0.10	0.18	0.80	1.90	11	24.25	2.2	46.64	A	13
Schwartz, Garden City	340-16	5	1	91	90	49.7	54.6	55.2	2.06	4.14	0.08	0.15	0.85	1.95	10	23.75	1.9	46.85	A	10
Morris, Colorado City	601-2	5	2	93	95	52.8	56.8	55.6	1.83	3.47	0.05	0.15	0.90	2.05	11	24.50	1.9	46.66	A	12
Shuster, Georgetown	928-17	6	1	96	102	56.0	58.3	54.9	1.55	2.77	0.08	0.15	0.80	2.30	13	24.50	1.9	47.36	A	3
Padalecki, San Antonio	73-20	6	2	95	102	53.4	56.2	52.4	1.10	2.06	0.10	0.15	0.70	2.10	10	24.50	1.9	47.44	A	20*
Kohls, Eldorado	726-4	7	1-RGC	97	104	55.9	57.6	53.8	2.38	4.26	0.08	0.18	1.05	2.25	13	25.25	2.2	46.23	A	17
Oppegard, Lenorah	343-11	7	2	97	103	55.0	56.7	53.4	2.17	3.95	0.08	0.18	1.05	2.30	12	24.75	2.2	46.43	A	15
Vick, San Angelo	837-7	8	1	101	103	61.3	60.7	59.5	1.77	2.89	0.10	0.15	0.80	2.85	13	25.25	1.9	48.26	A	1
Blakley, Lampasas	522-18	8	2	103	101	55.9	54.3	55.3	1.41	2.52	0.08	0.15	0.80	2.20	12	24.25	1.9	47.12	A	9
Larner, Grandbury	399-1	9	1	105	106	59.7	56.9	56.3	2.23	3.74	0.15	0.20	0.95	2.30	12	25.25	2.4	46.29	A	16
Wood, San Angelo	840-3	9	2	106	114	65.4	61.7	57.4	1.48	2.26	0.10	0.18	0.85	2.35	13	25.75	2.2	46.37	B	14
Boyd, Kerrville	483-15	10	1-GC	108	117	62.2	57.6	53.2	2.63	4.23	0.18	0.22	1.00	2.20	11	25.00	2.6	45.57	A	19
Tucker, Troy	853-8	10	2	109	115	64.4	59.1	56.0	2.46	3.82	0.15	0.20	1.00	2.50	13	26.00	2.4	46.21	A	18

LEG CONFORMATION - a 15 point goat scale developed at Texas A&M University

LAMB USDA YG - yield grade system for lambs was applied to these carcasses; (10 X adjusted fat thickness) + 0.4

% BCTRC - % boneless, closely trimmed retail cuts from the leg, loin, rack and shoulder is calculated: 49.936 - (.0848 x hot carcass wt.) - (4.376 X adj. fat thickness) - (3.53 X body wall) + (2.456 X loin eye area)

Goats were slaughtered 9 days after they were initially weighed in San Antonio.

* Disqualified because of retained testicle (cryptorchid).